

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	automatic\$5 with (choos\$5 select\$5 chose\$5 determin\$5 match\$5) with optimum\$5 with print\$5 adj1 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:05
L2	0	(analyz\$5 determin\$5) same (image\$2 print\$5 adj2 job\$5 document\$5 data\$2) adj4 (host adj1 type\$2 with text\$2 near4 type\$2 with image\$2 near2 type\$2 with communication\$2 near4 type\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:07
L3	0	(analyz\$5 determin\$5) same (characteristic\$5 propert45) adj4 (host adj1 type\$2 with text\$2 near4 type\$2 with image\$2 near2 type\$2 with communication\$2 near4 type\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:08
L4	0	(analyz\$5 determin\$5) same (characteristic\$5 propert\$5) adj4 (host adj1 type\$2 with text\$2 near4 type\$2 with image\$2 near2 type\$2 with communication\$2 near4 type\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:11
L5	0	(analyz\$5 determin\$5) same (characteristic\$5 propert\$5) same (host adj1 type\$2 with text\$2 near4 type\$2 with image\$2 near2 type\$2 with communication\$2 near4 type\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:11
L6	0	(analyz\$5 determin\$5) same (characteristic\$5 propert\$5) same (host with text\$2 with image\$2 with type\$2 with communication\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:18
L7	1	(select\$5 with print\$5 adj1 mode\$5 with historical\$5 adj1 data\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/26 14:19
L8	2	(select\$5 with print\$5 near4 mode\$5 with historical\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/26 14:30
						2006/05/26 14:31

EAST Search History

L9	0	historical\$5 adj2 select\$5 adj2 print\$5 adj1 (setting\$5 attribut\$5 parameter\$5 mode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:31
L10	3	historical\$5 with select\$5 with print\$5 adj1 (setting\$5 attribut\$5 parameter\$5 mode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:33
L11	11	automatic\$5 with (choos\$5 select\$5 chose\$5 determin\$5) with optimum\$5 with (print\$5 adj1 qualit\$5 adj1 setting\$5 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:32
L12	11	automatic\$5 with (choos\$5 select\$5 chose\$5 determin\$5) with optimum\$5 with (print\$5 adj1 qualit\$5 adj1 setting\$5 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:32
L13	66	automatic\$5 same (choos\$5 select\$5 chose\$5 determin\$5) same optimum\$5 same (print\$5 adj1 qualit\$5 adj1 setting\$5 print\$5 near4 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:32
L14	42	optimum\$5 adj4 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:32
L15	115	optimum\$5 with print\$5 adj1 (setting\$5 attribut\$5 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:33
L16	115	optimum\$5 with print\$5 adj1 (setting\$5 attribut\$5 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:37
L17	0	(past\$5 adj1 print\$5 adj1 mode\$5 with historical\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/26 14:37

EAST Search History

L18	0	(print\$5 adj1 mode\$2 with (past\$5 near4 selection\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 14:38
S1	2	("6963411").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/27 16:39
S2	139	(prior\$5 near4 print\$5 adj2 setting\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 14:40
S3	80	(prior near4 print\$5 adj2 setting\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 14:51
S4	46	S3 and @ad<"20000914"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:36
S5	7569	(automatic\$5 adj2 (choos\$5 select\$5 chose\$5) with print\$5 adj1 qualit\$5 adj1 setting\$5 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:34
S6	7569	(automatic\$5 adj2 (choos\$5 select\$5 chose\$5) with stored\$ adj4 print\$5 adj1 qualit\$5 adj1 setting\$5 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:35
S7	2	automatic\$5 adj2 (choos\$5 select\$5 chose\$5) with stored\$ adj4 (print\$5 adj1 qualit\$5 adj1 setting\$5 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:38

EAST Search History

S8	2	JP-2000172469-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:37
S9	3	automatic\$5 adj2 (choos\$5 select\$5 chose\$5) with stored\$ with (print\$5 adj1 qualit\$5 adj1 setting\$5 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 15:44
S10	11	automatic\$5 with (choos\$5 select\$5 chose\$5 determin\$5) with optimum\$5 with (print\$5 adj1 qualit\$5 adj1 setting\$5 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:34
S11	11	automatic\$5 with (choos\$5 select\$5 chose\$5 determin\$5 match\$5) with optimum\$5 with print\$5 adj1 (setting\$5 attribut\$5 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:35
S12	0	S11 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:35
S13	44	(choos\$5 select\$5 chose\$5 determin\$5 match\$5) with optimum\$5 with print\$5 adj1 (setting\$5 attribut\$5 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:14
S14	24	S13 and @ad<"20000914"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:12
S15	2	("6257693").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 16:38

EAST Search History

S16	2	("5731823").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 16:38
S17	113	optimum\$5 with print\$5 adj1 (setting\$5 attribut\$5 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:11
S18	42	optimum\$5 adj4 print\$5 adj1 (setting\$5 attribut\$5 parameter\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:14
S19	17	S18 and @ad<"20000914"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:16
S20	198	(choos\$5 select\$5 chose\$5 determin\$5 match\$5) with (optimum\$5 best\$5) with print\$5 adj1 (setting\$5 attribut\$5 parameter\$2 mode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:15
S21	178	S20 not S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:15
S22	91	S21 and @ad<"20000914"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:46
S23	2	("5971582").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 17:34

EAST Search History

S24	0	(print\$5 adj1 mode\$2 with (past\$5 near4 selection\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:13
S25	142	(print\$5 adj1 mode\$2 with (past\$5 histo\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:13
S26	91	S25 and @ad<"20000914"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:52
S27	0	historical\$5 adj2 select\$5 adj2 print\$5 adj1 (setting\$5 attribut\$5 parameter\$5 mode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:54
S28	1	historical\$5 with select\$5 adj2 print\$5 adj1 (setting\$5 attribut\$5 parameter\$5 mode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 19:26
S29	2	("5455895").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/28 19:26
S30	7	("5455895").URPN.	USPAT	OR	ON	2006/03/28 19:26
S31	21	("4586834" "4652115" "4833491" "4841335" "4864328" "4998145" "5023662" "5028992" "5070367" "5153651" "5202727" "5307135" "5436647" "5537199" "5622364" "5688059" "5701549" "5845174" "6108017" "6201946" "6204867").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 19:30
S32	1	(select\$5 adj1 print\$5 adj1 mode\$5 with historical\$5 adj1 data\$2)	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/26 14:28

EAST Search History

S33	1	(select\$5 adj1 print\$5 adj1 mode\$5 with historical\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 19:33
S34	0	(used adj1 print\$5 adj1 mode\$5 with historical\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 19:33
S35	0	(past\$5 adj1 print\$5 adj1 mode\$5 with historical\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/28 19:33
S36	16550	(538/1.1, 358/1.9, 358/1.11-1.18). ccs.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/13 12:59
S37	199	(choos\$5 select\$5 chose\$5 determin\$5 match\$5) with (optimum\$5 best\$5) with print\$5 adj1 (setting\$5 attribut\$5 parameter\$2 mode\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/13 12:59
S38	42	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/13 14:07
S39	3	("6609162").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/13 14:14
S40	2	("5835098").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/13 14:14
S41	2	("5813020").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/13 14:14

EAST Search History

S42	2	("5727220").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/13 14:16
S43	7	((("6204678") or ("6614550") or ("6149323")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/13 14:17